



WaterMark

Certificate of Conformity

Pro-Switch Pty Ltd grants to the WaterMark Approved User:

AusPress Systems Pty Ltd

Trading as AusPress Systems Pty Ltd

the right to use the WaterMark as shown above in conjunction with the Certificate No. on product/s as identified in the WaterMark Schedule and as listed on the WaterMark database www.abcb.gov.au/Product-Certification/WaterMark-Certification-Scheme which have been shown to comply with the appropriate Applicable Specification referred to below and as amended from time to time. The WaterMark User is granted a licence to use the WaterMark subject to the rules governing the use of the WaterMark.

Product Type: Flushing Sink
Product Use: Personal Hygiene
Brand: AusPress
Certification Specification(s): WMTS-526:2018 Flushing sinks
Conditions or Limitations: To be installed in accordance with Plumbing Code of Australia (PCA)

Issue Date: 7th March 2024
Initial Issue Date: 7th March 2024
Expiry Date: 6th March 2029

Simon Clarke
General Manager

Certificate No.: 23480

This Certificate is issued by a JAS-ANZ accredited certification body. The ABCB and JAS-ANZ do not in any way warrant, guarantee or represent that the product the subject of this Certificate conforms to the WaterMark Certification Scheme Rules, nor accepts any liability arising out of the use of the product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate. The WaterMark Certification Scheme is a conformity assessment scheme based on ISO/IEC 17067. This Certificate may only be reproduced in its entirety.

Certificate Number: 23480
Issue Date: 15/02/2024
Revision: CR00

Pro-Switch Pty Ltd
ABN 37 121 022 366
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 408 704 809
Email: info@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23480
Issue Date: 07/03/2024
Revision: CR00



WaterMark Certification Schedule

WaterMark Approved User	AusPress Systems Pty Ltd ABN: 48 057 345 114
Approved User Address	Corunna Ave Melrose Park SA 5039 AUSTRALIA Website: www.auspress.com.au
Certificate Number	23480
Certification Standard	WMTS-526:2018 Flushing sinks

Product List

Model ID	Model Name	Brand Name	Product Description	Material Designation
AD.FCB.100.316	Flushing Sink, Bench Integrated 100-V Outlet, 316 S/S	AusPress	Stainless steel 316 Flushing Sink 360x280mm for bench integration, 100 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 316
AD.FCB.100.304	Flushing Sink, Bench Integrated 100-V Outlet, 304 S/S	AusPress	Stainless steel 304 Flushing Sink 360x280mm for bench integration, 100 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 304
AD.FCB.110.316	Flushing Sink, Bench Integrated 110-V Outlet, 316 S/S	AusPress	Stainless steel 316 Flushing Sink 360x280mm for bench integration, 110 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 316
AD.FCB.110.304	Flushing Sink, Bench Integrated 110-V Outlet, 304 S/S	AusPress	Stainless steel 304 Flushing Sink 360x280mm for bench integration, 110 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 304
AD.FCC.100.316	Flushing Sink, Floor Inset Conc 100-V Outlet, 316 S/S	AusPress	Stainless steel 316 Flushing Sink 360x280mm for concrete & epoxy floor inset, 100 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 316
AD.FCC.100.304	Flushing Sink, Floor Inset Conc 100-V Outlet, 304 S/S	AusPress	Stainless steel 304 Flushing Sink 360x280mm for concrete & epoxy floor inset, 100 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 304
AD.FCC.110.316	Flushing Sink, Floor Inset Conc 110-V Outlet, 316 S/S	AusPress	Stainless steel 316 Flushing Sink 360x280mm for concrete & epoxy floor inset, 110 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 316
AD.FCC.110.304	Flushing Sink, Floor Inset Conc 110-V Outlet, 304 S/S	AusPress	Stainless steel 304 Flushing Sink 360x280mm for concrete & epoxy floor inset, 110 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 304



Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 408 704 809
Email: info@pro-switch.com.au
www.pro-switch.com.au

ABN 37 121 022 366



Certificate Number: 23480
Issue Date: 07/03/2024
Revision: CR00



WaterMark Certification Schedule

Model ID	Model Name	Brand Name	Product Description	Material Designation
AD.FCV.100.316	Flushing Sink, Floor Inset Vinyl Lock 100-V Outlet, 316 S/S	AusPress	Stainless steel 316 Flushing Sink 360x280mm for vinyl sheet floor inset, 100 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 316
AD.FCV.100.304	Flushing Sink, Floor Inset Vinyl Lock 100-V Outlet, 304 S/S	AusPress	Stainless steel 304 Flushing Sink 360x280mm for vinyl sheet floor inset, 100 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 304
AD.FCV.110.316	Flushing Sink, Floor Inset Vinyl Lock 110-V Outlet, 316 S/S	AusPress	Stainless steel 316 Flushing Sink 360x280mm for vinyl sheet floor inset, 110 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 316
AD.FCV.110.304	Flushing Sink, Floor Inset Vinyl Lock 110-V Outlet, 304 S/S	AusPress	Stainless steel 304 Flushing Sink 360x280mm for vinyl sheet floor inset, 110 mm O/D outlet. Inlet 1 1/2" BSP male. Flush volume 4.5L	Stainless Steel 304



ABN 37 121 022 366

Pro-Switch Pty Ltd
PO Box 3082
Norman Park QLD 4170 Australia
Phone: +61 408 704 809
Email: info@pro-switch.com.au
www.pro-switch.com.au



Certificate Number: 23480
Issue Date: 07/03/2024
Revision: CR00